

PREPARED FOR

HEARTH & HOME TECHNOLOGIES



THERMAL CLEARANCE TESTING OF THE VERMONT CASTINGS DEFIANT FREE-STANDING APPLIANCE

Report Number: ASFT21034-PRELIMINARY REPORT Issue date: 29 April 2021

> By: Garry W. Mooney

Report Distribution

Hearth & Home Technologies

352 Mountain House Road Halifax, PA 17032 United States of America Mr Brian Wallace

ASFT Report Archive



Revision	Date	Comments
0	29/04/2021	Preliminary report – awaiting payment and engineering drawings of appliance

Disclaimer

This Report is intended only for the use of the individual or entity named above (Intended Recipient). ASFT is not liable to the Intended Recipient in respect of any loss, damage, cost or expense suffered as a result of reliance on the information contained in this Report or any actions taken or not taken on the basis of this Report. In particular, results presented in this Report relate exclusively to the samples selected by the Intended Recipient and no responsibility is taken for the representativeness of these samples.

This report shall not be reproduced except in full, without written approval of ASFT.

QD-001R1

Copyright © 2021 ASFT

THERMAL CLEARANCE TESTING OF THE VERMONT CASTINGS DEFIANT **FREE-STANDING APPLIANCE**

Report

The Vermont Castings Defiant Free-Standing appliance installed with a Wildcat 6" default flue kit was tested in two positions in a manner conforming to joint Australian/New Zealand Standard 2918:2018, Appendix B.

A minimum 970mm deep x 945mm wide x 6mm thick floor protector (compressed board) should be used under and in front of the appliance base when installing the appliance (see joint AS/NZS 2918:2018 3.3.2). The floor protector should extend 300mm in front of the appliance door and be placed centrally in the 945mm width. The Thermal resistivity of the floor protector is 0.026m².K/W for 6mm thick compressed board sheets.

The appliance was installed with an additional flue rear heat shield raised up 335mm from the appliance rear shield x 240mm wide with additional 70mm wide 45 degree extensions on each side. The shield was made of 1.2mm steel.

The Vermont Castings Defiant Free-Standing solid fuel appliance installed with a Wildcat 6" default flue kit conforms to the requirements of the joint AS/NZS 2918:2018 Standard, Appendix B.

The appliance and flue system were tested at the following clearances:

25mm Combustible walls

Position A – Parallel position






Figure 1 – Clearance Diagram

Signed	Har	Approved	And Parfull
Name	Garry W. Mooney	Name	Steve Marland
	Technical Officer		Managing Director – Australian Solid
Title		Title	Fuel Testing
Date	29/04/2021	Date	29/04/2021

1. INTRODUCTION

Thermal Clearance testing of the Appliance and flue system took place on 22 April 2021 at the Australian Solid Fuel Testing Laboratory located at 3 Garden Street, Morwell, Victoria. The testing was performed by Mr G.W. Mooney and Mr S. Marland.

2. **PROCEDURE**

Testing was conducted as per Appendix B of AS/NZS2918;2018, Hot sites were located with the aid of an infra-red thermometer. Thermocouple tips were stapled onto the test surfaces, with black tape over the first 100 mm to facilitate consistent and accurate recording of temperatures. Thermocouple positions are shown in the table below:

Thermocouple	Position	Thermocouple	Position
No.		No.	
1	Floor - 1300mm in front of centre	16	Floor – 150mm RHS of centre
2	Floor – 1200mm in front of centre	17	Floor – 300mm RHS of centre
3	Floor - 1050mm in front of centre	18	Floor – 450mm RHS of centre
4	Floor – 900mm in front of centre	19	Ceiling Ring – Inner front
5	Floor – 750mm in front of centre	20	Ceiling Ring – 25mm in front
6	Floor – 600mm in front of centre	21	Ceiling Ring – Inner side
7	Floor – 450mm in front of centre	22	Ceiling Ring – 25mm to side
8	Floor – 300mm in front of centre	23	Rear wall – 672mm from corner, 2352mm above the floor
9	Floor – 150mm in front of centre	24	Rear wall – 520mm from corner, 939mm above the floor
10	Floor – Centre of flue	25	Rear wall – 741mm from corner, 587mm above the floor
11	Floor – 150mm behind centre	26	RHS wall, 414mm from corner, 552mm above the floor
12	Floor – 300mm behind centre	27	RHS wall, 449mm from corner, 938mm above the floor
13	Floor – 450mm LHS of centre	28	RHS wall, 422mm from corner, 482mm above the floor
14	Floor – 300mm LHS of centre	29	Rear wall – 596mm from corner, 962mm above the floor
15	Floor – 150mm LHS of centre	30	Ambient temperature

Position A – Parallel Position

Position B - Corner Position

Thermocouple	Position	Thermocouple	Position
No.		No.	
19	Ceiling Ring – Inner front	25	LHS wall – 959mm from corner, 727mm
			above the floor
20	Ceiling Ring – 25mm in front	26	RHS wall, 833mm from corner, 539mm above
			the floor
21	Ceiling Ring – Inner side	27	RHS wall, 1008mm from corner, 903mm
			above the floor
22	Ceiling Ring – 25mm to side	28	RHS wall, 992mm from corner, 665mm above
			the floor
23	LHS wall – 672mm from corner, 2352mm	29	LHS wall, 779mm from corner, 877mm above
	above the floor		the floor
24	LHS wall – 899mm from corner, 985mm	30	Ambient temperature
	above the floor		

TABLE 1

3. TEST FUEL

Testing was conducted with Pinus Radiata as the test fuel which had a moisture content of 12.5% moisture. Each firewood piece was 300mm x 100mm x 40mm.

4. FLUE SYSTEM

The flue system used during testing was a Wildcat 6" default Perforated flue kit was supplied by Wildcat Industries (Aust) P/L. This flue system has been tested to joint AS/NZS 2918:2018, Appendix F. The flue height was 4.6 ± 0.1 m from the floor protector. Appendix 1 shows details of the flue system.

5. **RESULTS**

5.1 High Fire Test

The appliance was fired in accordance with Section B9.1 of AS/NZS2918;2018. The level of fuel was maintained between 50-75% of the full volume level of the fuel chamber during the High Fire test.

The average fuel load for initiating the High Fire tests was 10.9kg with an average refuelling rate of 1.2kg/10 minutes.

During High Fire testing it was found that the highest surface temperatures occurred when the primary air control of the appliance and the flue by-pass was fully open.

5.2 Flash Fire Test

Immediately after the High Fire test was completed, sufficient embers were removed to bring the fire bed to a level of 15-25% of the fuel chamber volume. The appliance was then fired in accordance with Section B9.2 of AS/NZS2918;2018.

The average fuel load for initiating the Flash Fire tests was 9.2kg.

The highest temperature rises were achieved by leaving the main doors resting against the door catch with the primary air control and the flue by-pass was fully open.

5.3 Ambient and Test Surface Temperatures

The Tables below show the Ambient temperatures and test surfaces temperatures during testing of the appliance and flue combination:

Position	High Fire	Flash Fire		
А	10.4 - 18.5	16.4 - 20.3		
В	15.6 - 20.9	18.3 - 21.8		

Ambient Temperature Range °C

Maximum Surface Temperature Rise above Ambient - Position A

Position	Thermocouple Number	High Fire Test (°C)	Thermocouple Number	Flash Fire Test (°C)
Floor	5	44.7	4	70.1
Ceiling	20	47.3	20	84.7
Rear Wall	25	51.7	29	84.8
Side Wall	26	60.1	26	84.8

Maximum Surface Temperature Rise above Ambient - Position B

Position	Thermocouple Number	High Fire Test (°C)	Thermocouple Number	Flash Fire Test (°C)
Ceiling —	20	59.8	20	70.8
RHS Wall	28	59.9	28	79.3
LHS Wall	29	61.5	29	67.9

5.4 Uncertainty of Measurement Statement

- 5.5.1 The uncertainty of distance measurement for determining clearance distances was not greater than \pm 3mm.
- 5.5.2 The uncertainty of temperature measurement during the entire test period was a maximum of $\pm 2^{\circ}$ C at a 95% confidence level.

6. APPLIANCE CONSTRUCTION DETAILS

The test results reported directly relate to the appliance/flue system tested. The details of the appliance given in this section include features which may affect safety clearances. Any change in the design/construction of this appliance or flue may invalidate this report. Below are the constructions details of the appliance:

Appliance Model Name: Defi	ant		Serial No:]	HF2850669		
Manufacturer: Vermont Cast	ing					
Overall Height: 750mm	Overal	ll Depth:	670mm	0	verall Width: 803n	nm
Top Plate Width: 803mm	Top Plat	e Depth:	406-450mi	n Top Pla	te Thickness: 25m	m
Griddle Width: 481mm	Griddle	e Depth:	130-237m	n Gridd	lle Thickness: 9 mn	1
Appliance Legs Height: 198m	ım	Depth:	19-63mm		Width: 19-6	3mm
Usable Firebox Height: 380m	m	Width:	651mm		Depth: 2801	nm
Usable Firebox Volume: 69.2	7 Litres					
Firebox Material Type/Seam I	Fully Weld	ded: Full	y sealed 8n	ım cast iron		
Firebrick Type: Ceramic, side	es and rea	ar				
Main Door Opening Height: 3	35mm	Width:	546mm			
Door Height: 255-409mm		Width:	355mm		Depth: 28mm	x2 doors
Door glass Height: 180-225m	m	Width:	203mm	x2 doors		
Primary Air Location: Below	firebox at	t rear				
Dimension of Primary Air: 1 s	slot 98×25	Smm				
Area of Primary (mm ²): 2450	mm ²					
Secondary/Tertiary Air Locati	ion: Rear	of firebo	ox, 50mm a	bove grate		
Dimension of Secondary/Terti	iary Air: 2	holes @	6 mm + 6	noles @ 4.5mm	l	
Area of Secondary/Tertiary Ai	ir (mm ²): #	56.56+95	5.44 = 152n	1m ²		AN
Baffle Plate size: N/A		\sim	U			
Damper: 430×86×5mm						
Flue Dimensions: 152mm		50	LID	FUE	LIES	TING
Spigot Dimensions: (oval)	OD	D: 125 x 2	275mm	ID: 113 x 1	162mm	
Spigot to Rear of Appliance: 5	55mm					
Rear Internal to External Heat	Shield: 3	0-55mm				
Firebox to Side External Heat	Shield: N	/A				
Heat Shield Material Type: 1.2	2mm stee	1				
Heat Shield Below firebox dir	nensions:	480-620	×525-540×1	mm		
Firebox to Bottom Shield: 40r	nm					
Water Heater Fitted: No						
Fan Location/Speeds: N/A						
Catalytic Combustor fitted: Ye	es, 325×65	5×25mm	l			
Grate: Yes						
NOTE: Accuracy of me	asurem	ent is ±	5% of th	e measured	value	

7. CONCLUSION

The Vermont Castings Defiant Free-Standing appliance installed with a Wildcat 6" default flue kit, conforms to the requirements of Australian/New Zealand Standard 2918:2018, with respect to floor, ceiling, side wall and rear wall surface temperatures, when tested in the test positions shown in Figure 1 of this report in accordance with Appendix B of AS/NZS2918;2018.



APPENDIX 1:

